



| Artikelnummer<br>Part number | Größe<br>Size | ø d1 | b1 | b2 | b3  | b4  | ø d2 | WLL<br>(to) |
|------------------------------|---------------|------|----|----|-----|-----|------|-------------|
| 835-04                       | 0,06          | M4   | 8  | 16 | 24  | 26  | 9    | 0,16        |
| 835-05                       | 0,10          | M5   | 10 | 20 | 30  | 32  | 11   | 0,25        |
| 835-06                       | 0,16          | M6   | 12 | 24 | 34  | 38  | 12   | 0,375       |
| 835-08                       | 0,25          | M8   | 16 | 32 | 46  | 52  | 16   | 0,625       |
| 835-10                       | 0,40          | M10  | 20 | 40 | 56  | 66  | 20   | 1           |
| 835-12                       | 0,60          | M12  | 25 | 48 | 67  | 76  | 25   | 1,5         |
| 835-16                       | 1,00          | M16  | 32 | 64 | 88  | 101 | 32   | 2,75        |
| 835-20                       | 1,60          | M20  | 38 | 76 | 101 | 120 | 36   | 3,75        |

**Werkstoff 1.4401 | Gemäß DIN82102 | WLL = Tragfähigkeit, gemäß Herstellerangaben**  
 Material AISI 316 | According DIN82102 | WLL = Working load limit according manufacturer's data  
 All dimensions in millimeters.